



Molto bene

Collection

Tempotest Home®

ITALIAN PERFORMANCE FABRICS



SUNHING 新興
WE PROVIDE SOLUTIONS




1047 / 929



1048 / 930



1049 / 929




1047 / 57




1049 / 57



1037 / 81



859 / 81 | Repeat: 14,5" - 37 cm. → 30,7" - 78 cm. ↑




1049 / 98



1037 / 14



854 / 81 | Repeat: 7,3" - 18,5 cm. →




909 | Repeat: 7,3" - 18,5 cm. →



897 / 1




858 / 52 | Repeat: 14,5" - 37 cm → 19,3" - 49 cm. ↑




914 / 15



1037 / 97



1048 / 97



1047 / 24



1037 / 15



910 | Repeat: 7,3" - 18,5 cm. →



897 / 2



1037 / 24



917



896 / 2 | Repeat: 15" - 38 cm → 13," - 33 cm ↑



894 / 2 | Repeat: 15" - 38 cm → 13,4" - 34 cm ↑



895 / 2 | Repeat: 15" - 38 cm → 16,4" - 41 cm ↑



896



895



894



1048 / 87



1049 / 52



1037 / 151



1047 / 92



1049 / 92




1037 / 92





859 / 19 | Repeat: 14,5" - 37 cm → 30,7" - 78 cm ↑



860 / 54



862 / 19 | Repeat: 7,3" - 18,5 cm →



861 / 11 | Repeat: 7,3" - 18,5 cm → 7,5" - 19 cm ↑



1037 / 11



858 / 11 | Repeat: 14,5" - 37 cm → 19,3" - 49 cm ↑



859 / 19



915 / 85






862 / 17 | Repeat: 7,3" - 18,5 cm →



853 / 5 | Repeat: 14,5" - 37 cm →



862 / 71 | Repeat: 7,3" - 18,5 cm →



916 / 85



862 / 85 | Repeat: 7,3" - 18,5 cm →



915 / 85 | Repeat: 15" - 38 cm. → 23,6" - 60 cm. ↑

Tempotest Home®

Composition

100% solution dyed outdoor acrylic fibre

Colour fastness to artificial weathering

UNI EN ISO 105 B04

Degree > 7/8

Warranty

6-year colour-fast warranty

Finishing

Soil resistant, oil and water-repellent with Teflon® finishing, mould resistant

Maintenance and cleaning



Do not wring or twist

Art. 853-854-1037-1038-1047-1048-1049

Width (inch) 60" - 152 (cm)

Weight (oz/sq yard) 7,95 - 270 (gr.m²) ±5%

Art. 861-909-910

Width (inch) 57" - 145 (cm)

Weight (oz/sq yard) 7,95 - 270 (gr.m²) ±5%

Art. 914

Width (inch) 57" - 145 (cm)

Weight (oz/sq yard) 10,20 - 350 (gr.m²) ±5%

Art. 858-859-860-862-915-916-917

Width (inch) 57" - 145 (cm)

Weight (oz/sq yard) 8,80 - 300 (gr.m²) ±5%

Art. 894-895-896-897

Width (inch) 57" - 145 (cm)

Weight (oz/sq yard) 10,16 - 345 (gr.m²) ±5%



Conditions of Guarantee on www.tempotest.it



USA dpt. • 1433 West Frankford Rd. Suite 110 • Carrollton, TX 75007
Phone: +1 (972) 512 3534 • Fax: +1 (972) 512 3544
www.tempotestusa.com • sales@tempotestusa.com

Parà S.p.A. • Viale Monza, 1 • 20845 Sovico (MB) • Italy
Tel +39 039 2070 • Fax +39 039 2070 396
www.tempotest.it




1047 / 929



1048 / 930



1049 / 929




1047 / 57




1049 / 57



1037 / 81



859 / 81 | Repeat: 14,5" - 37 cm. → 30,7" - 78 cm. ↑



1049 / 98



1037 / 14



854 / 81 | Repeat: 7,3" - 18,5 cm. →




909 | Repeat: 7,3" - 18,5 cm. →



897 / 1




858 / 52 | Repeat: 14,5" - 37 cm → 19,3" - 49 cm. ↑




914 / 15



1037 / 97



1048 / 97



1047 / 24



1037 / 15



910 | Repeat: 7,3" - 18,5 cm. →



897 / 2



1037 / 24



917



896 / 2 | Repeat: 15" - 38 cm → 13," - 33 cm ↑



894 / 2 | Repeat: 15" - 38 cm → 13,4" - 34 cm ↑



895 / 2 | Repeat: 15" - 38 cm → 16,4" - 41 cm ↑



896



895



894



1048 / 87



1049 / 52



1037 / 151



1047 / 92



1049 / 92




1037 / 92





859 / 19 | Repeat: 14,5" - 37 cm → 30,7" - 78 cm ↑



860 / 54



862 / 19 | Repeat: 7,3" - 18,5 cm →



861 / 11 | Repeat: 7,3" - 18,5 cm → 7,5" - 19 cm ↑



1037 / 11



858 / 11 | Repeat: 14,5" - 37 cm → 19,3" - 49 cm ↑



859 / 19



915 / 85






862 / 17 | Repeat: 7,3" - 18,5 cm →



853 / 5 | Repeat: 14,5" - 37 cm →



862 / 71 | Repeat: 7,3" - 18,5 cm →



916 / 85



862 / 85 | Repeat: 7,3" - 18,5 cm →



915 / 85 | Repeat: 15" - 38 cm. → 23,6" - 60 cm. ↑

Tempotest Home®

Composition

100% solution dyed outdoor acrylic fibre

Colour fastness to artificial weathering

UNI EN ISO 105 B04

Degree > 7/8

Warranty

6-year colour-fast warranty

Finishing

Soil resistant, oil and water-repellent with Teflon® finishing, mould resistant

Maintenance and cleaning



Do not wring or twist

Art. 853-854-1037-1038-1047-1048-1049

Width (inch) 60" - 152 (cm)

Weight (oz/sq yard) 7,95 - 270 (gr.m²) ±5%

Art. 861-909-910

Width (inch) 57" - 145 (cm)

Weight (oz/sq yard) 7,95 - 270 (gr.m²) ±5%

Art. 914

Width (inch) 57" - 145 (cm)

Weight (oz/sq yard) 10,20 - 350 (gr.m²) ±5%

Art. 858-859-860-862-915-916-917

Width (inch) 57" - 145 (cm)

Weight (oz/sq yard) 8,80 - 300 (gr.m²) ±5%

Art. 894-895-896-897

Width (inch) 57" - 145 (cm)

Weight (oz/sq yard) 10,16 - 345 (gr.m²) ±5%



Conditions of Guarantee on
www.tempotest.it



USA dpt. • 1433 West Frankford Rd. Suite 110 • Carrollton, TX 75007
Phone: +1 (972) 512 3534 • Fax: +1 (972) 512 3544
www.tempotestusa.com • sales@tempotestusa.com

Parà S.p.A. • Viale Monza, 1 • 20845 Sovico (MB) • Italy
Tel +39 039 2070 • Fax +39 039 2070 396
www.tempotest.it