

FR

TempotestStar Home[®]

ITALIAN PERFORMANCE FABRICS



flame retardant



FR TempotestStar Home®

ITALIAN PERFORMANCE FABRICS



7015|100




7015|101



7090|100



7929|100



7079|100



7097|100



7008|100



7930|100



7024|100



7011|100



7073|100



7092|100



FR
TempotestStar Home®

ITALIAN PERFORMANCE FABRICS

STAMPATO | PRINTED



STAMPA DIGITALE SU 7015/100 | DIGITAL PRINTING ON 7015/100



STAMPA DIGITALE SU 7929/100 | DIGITAL PRINTING ON 7929/100



TempotestStar Home FR® è il tessuto realizzato con un innovativo PET tinto in massa con proprietà anti-fiamma.


TempotestStar Home FR® è proposto con una scelta di **12 colori tinta unita**. Ma la grande novità è il servizio di **"stampa tailor made"** disponibile anche per piccole quantità. Nell'intento di andare in contro alla sempre più forte richiesta di flessibilità del mercato, Parà è in grado di fornire la possibilità di stampare sui colori **7015/100** e **7929/100** il vostro esclusivo design per creare un'infinità di varianti.

TempotestStar Home FR® stampato rappresenta una rivoluzione nel mondo dell'arredamento outdoor che permetterà di personalizzare giardini, balconi, terrazzi, bordi piscina e ogni spazio outdoor. Le sue caratteristiche peculiari lo rendono particolarmente **adatto all'uso in luoghi pubblici** come hotel, bar, ristoranti.

TempotestStar Home FR® mantiene le caratteristiche di tutti i tessuti Tempotest Home di alta tenacità, di eccellente tenuta del colore alla luce e di resistenza ai raggi UV. Il trattamento Teflon EXTREME by Parà rende questi tessuti idro e oleo-repellenti, anti muffa, anti macchia e resistenti alla salsedine.

Ma questo tessuto è anche **classificato anti-fiamma** e certificato secondo le più severe norme europee e statunitensi, oltre ad avere i requisiti **IMO** per l'utilizzo nel settore nautico.

TempotestStar Home FR® è un eccezionale connubio tra le performance Tempotest e il vostro stile... **100% Made in Italy.**



 **DATI TECNICI**

ALTEZZA 150 cm (Tinta unita)
PESO gr/m² **250** (±5%)
COMPOSIZIONE
100% PET OUTDOOR TINTO IN MASSA FR
CARICO ALLA ROTTURA (UNI EN ISO 13934-1)
 ORDITO **1.500N** | TRAMA **950N**
ALLUNGAMENTO
 ORDITO **48.5%** | TRAMA **40%**
TENUTA ALLA CUCITURA (UNI EN ISO 13936-2)
 ORDITO **180N - 4 mm** | TRAMA **180N - 3 mm**
USURA MARTINDALE (UNI EN ISO 12947-2)
30.000 cicli
PILLING (UNI EN ISO 12945-2)
 Grado **4** a **2.000** cicli
RESISTENZA ALLA LUCE
 (UNI EN ISO 105 B02) Grado >7/8
CLASSE DI REAZIONE AL FUOCO
CLASSE 1 (UNI 9177)
M1 (NFP 92-503-504-505)
BS5852 Schedule 4 Part 1
NFPA 701-10
NFPA 260
UFAC Class1
IMO

Certificazioni aggiornate su www.tempotest.it

TECHNICAL FEATURES 

WIDTH 59" (Solids)
WEIGHT oz/sq yard **7,35** (±5%)
COMPOSITION
100% PET OUTDOOR SOLUTION DYED INHERENT FR
BREAKING LOAD (UNI EN ISO 13934-1)
 WARP **1.500N** | WEFT **950N**
ELONGATION
 WARP **48.5%** | WEFT **40%**
SEWING (UNI EN ISO 13936-2)
 WARP **180N - 4 mm** | WEFT **180N - 3 mm**
ABRASION MARTINDALE (UNI EN ISO 12947-2)
30.000 cycles
PILLING (UNI EN ISO 12945-2)
 Grade **4** at **2.000** cycles
COLOR FASTNESS TO LIGHT SOLID COLORS
 (UNI EN ISO 105 B02) Grade >7/8
FIRE REACTION CLASSIFICATION
CLASSE 1 (UNI 9177)
M1 (NFP 92-503-504-505)
BS5852 Schedule 4 Part 1
NFPA 701-10
NFPA 260
UFAC Class1
IMO
 Updated certifications on www.tempotest.it

NON STRIZZARE O TORCERE



DO NOT TWIST OR WRING



Info su | info on
www.tempotest.it



flame retardant



TempotestStar Home FR® is fabric made with an innovative 100% PET outdoor solution dyed inherent Flame Retardant fibre.

TempotestStar Home FR® is offered in a choice of **12 solid colors**. The novelty of this product is the "Tailor Made" printing service. In order to meet the increased flexibility required by the market the service is available to customers for small quantities, Parà is able to offer the ability to print on colors **7015/100** and **7929/100** your custom designs and create hundreds of variations.

TempotestStar Home FR® fabric digital printed is revolutionary in the world of outdoor furniture. The customized fabric designs will allow customers the ability to personalize gardens, balconies, swimming pools and all outdoor spaces. The fabric's characteristics make it particularly suitable **for use in public areas** such as hotels, bars, restaurants and public buildings.

TempotestStar Home FR® keeps the characteristics of all Tempotest Home fabrics of high-tenacity, excellent colourfastness to sunlight and resistance to UV rays. The Teflon EXTREME treatment by Parà results in the fabric being water and oil-repellent, stain and salt resistant, and anti-mold.

It is also **classified FR** and certified in accordance with the most strict European and U.S. standards, as well as the IMO conformity which is essential for the use of the fabric in the nautical field.

TempotestStar Home FR® is a mix of Tempotest performance and your style... **100% Made In Italy.**



**Tinto in massa -
Colore dentro e fuori**
Solution dyed -
Colour in and outside



Imputrescibile
Mould resistant



Antimacchia
Soil resistant




Idro - Oleo repellente
Oil and water
repellent



Traspirante
Breathable



Resistente al sole
Colour fast to light



Interno ed Esterno
In & Outdoor



Anti-fiamma
Flame Retardant



新興窗簾帆布有限公司 Sun Hing Curtain & Canvas Co., Ltd.

香港新界屯門建發街11號好景工業大廈A座1503室
Rm 1503, Block A, Goodview Industrial Building, 11 Kin Fat Street, Tuen Mun, N.T., Hong Kong
Tel: (852) 2393 2198 | Fax: (852) 2789 4433 | info@sunhinghk.com | www.sunhinghk.com